



3800 Series Sliding Door Mortise Lock

3800 Series

- Heavy duty commercial, industrial, institutional • Non-handed • Standard mortise cylinder or Small Format Interchangeable Core housing available

Thumbturn:

- Meets ADA Requirements, "No pinch," "No grasp."

Lock Case:

- Heavy wrought steel with zinc dichromate finish
- 4-5/16" x 3-9/16" x 1" (110 mm x 90 mm x 25 mm)

Armor Front:

- 1-1/4" x 5-5/8" x 7/32" (32 mm x 143 mm x 5 mm)

Keys:

- Two operating keys supplied per lock

Cylinder:

- Brass - keyed different - C keyway - Standard
- Other keying options, including keyed 6-pin, available from factory
- SFIC uncombined or combined, brass 6- or 7-pin sold separately
- Drilled 6-pin, keyed 5-pin – Standard
- Small Format Interchangeable Core housing available
- Schlage "L" cam - Standard

Door Thickness:


- 1-3/8" - 2-1/2" (35 mm-64 mm) - steel door
- 1-3/4" - 2-1/2" (45 mm-64 mm) - wood door
- Must specify door thickness if greater than 1-3/4" (45 mm)

Backset:

- 2-3/4" (70 mm) only

Deadbolt:

- 1" (25 mm) throw - stainless steel





3800 Series Sliding Door Mortise Lock

Strike:

- 1 1/8" wide x 3 1/2" (29 mm x 89 mm) NO LIP

Finishes:

- US26D

Functions:

- 35-cylinder X thumbturn, 36-single cylinder, 37-double cylinder, 38-thumbturn only, 39-thumbturn w/ emergency key

Notes:

Ideal for the pocket door sets and kits outlined below.

Pocket Door Sets:

- 9110
- 9130
- 9678
- 9901

Pocket Door Kits:

- 9628
- 9629
- 9630
- 9631
- 9850

The premium flush cup pulls below are options to accompany the chosen pocket door sets and kits. Additional pull options are available, please refer to the Trim & Auxiliary section of the catalog.

- 2610
- 2620
- 2630
- 2640


Product is ready for order placement. If there are any questions about this new product offering, please contact the Sliding Door Hardware Product Manager, Bryan Meyer at bmeyer@hagerco.com.





3800 Series Sliding Door Mortise Lock

How To Order:



Notes:

- For additional keying information, refer to cylinder, core, and keying section of catalog.

* Small format interchangeable core sold separately. Available in Best Keyways (A Standard) and other Hager keyways.

Ordering Example: 3835 SECT 26D Full6 SCC KD





3800 Series Sliding Door Mortise Lock



Description	Function	Finish	2015 List	Case Qty.
3800 Series Sliding Door Mortise Lock	3835S Cylinder x Thumbturn	US26D	168.90	6
Fixed Cylinder, Standard 1-1/8" Mortise Cylinder w/ Schlage `L` Cam Standard 6 Pin Cylinders, 5-pin Keyed Schlage C Keyway - KD Standard	3836S Single Cylinder	US26D	168.90	6
2-3/4" (70 mm) Backset No Lip Strike, 3999 ADA Thumbturn Standard	3837S Double Cylinder	US26D	189.20	6
	3838S Thumbturn only	US26D	150.00	6
	3839S Thumbturn w/ Emergency Key (Privacy)	US26D	162.00	6

Price includes mortise cylinder(s) where applicable and standard cylinder will be shipped with deadlock unless specified.

If keyed deadlocks ordered less cylinder, subtract \$20.00 for each cylinder from list price.

Small Format Interchangeable Core housing available (cores sold separately - refer to Keying/Core section).

*3837 require two cylinders (must specify Full 6 for fixed cylinder or 6- or 7-pin SFIC housing).

Refer to catalog or website for more detailed information on functions.