


### Vertical Hole Spacing

Non cumulative tolerances on hole to hole spacing.

	Metric (mm)	Decimal (in.)
A	3022.0 $\pm.008$	118.976 $\pm.008$
B	37.8 $\pm.025$	1.488 $\pm.010$
C	63.5 $\pm.020$	2.500 $\pm.008$
D	82.6 $\pm.020$	3.250 $\pm.008$
E	101.6 $\pm.020$	4.000 $\pm.008$
F	117.5 $\pm.020$	4.625 $\pm.008$
G	130.2 $\pm.020$	5.125 $\pm.008$
H	133.4 $\pm.020$	5.250 $\pm.008$
N	85.7 $\pm.020$	3.375 $\pm.008$
O	263.5 $\pm.020$	10.375 $\pm.008$
P	387.4 $\pm.020$	15.250 $\pm.008$
Q	520.7 $\pm.020$	20.500 $\pm.008$
R	260.4 $\pm.020$	10.25 $\pm.008$
S	75.9 $\pm.020$	2.988 $\pm.008$
T	108.0 $\pm.020$	4.250 $\pm.008$
U	131.8 $\pm.020$	5.188 $\pm.008$



**HAGER COMPANIES**  
 HIGHWAY 78 WEST  
 P.O. BOX 3368  
 OXFORD, ALABAMA 36203

780-210 119" HD

DATE 10-25-96	REV. 01-15-02	DR. KBJ	SCALE None
FILENAME z:\roton\template\standard\780-210.dwg			
DRAWING NO.		780210119HD	